

	Type	L #	Hits	Search Text
1	BRS	L1	6	("5706123" "5867202" "6480177").PN.
2	BRS	L2	0	1 and border near3 pixel
3	BRS	L3	2199	border near3 pixel
4	BRS	L4	4	3 and micro near mirror near device

	DBs	Time Stamp	Comments
1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/03 13:44	
2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/03 13:44	
3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/03 13:44	
4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/03/03 13:45	

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	6168	DMD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	54	1 and ((hard near wired) or hardwired)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	22	2 and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB